

INDIAN SCHOOL AL WADI AL KABIR




Class: XII	Department: SCIENCE 2021 - 22 SUBJECT : CHEMISTRY		Date of submission: 06.05.2021
Worksheet No: 2 WITH ANSWERS	Chapter: ALCOHOLS, PHENOLS AND ETHERS		Note: A4 FILE FORMAT
NAME OF THE STUDENT		CLASS & SEC:	ROLL NO.

MULTIPLE CHOICE QUESTIONS (1M)

- 1. How many alcohols with the molecular formula C₄H₁₀O are chiral?
 - a. 1
 - b. 2
 - c. 3
 - d. 4
- 2. Phenol can be distinguished from ethanol by the reactions with
 - i. Br2 water
- ii. Na
- iii. Neutral FeCl₃
- iv. Nitration

- a. i
- b. i and ii
- c. i and iii
- d. iv
- 3. The correct order of acidic strength is



- a. I > II > III
- b. III > I > II
- c. II > III > I
- d. I > III > II
- 4. Which of the following alcohol is least soluble in water?
 - a. n-Butyl alcohol
 - b. iso-Butyl alcohol

- c. t-Butyl alcohol
- d. sec-Butyl alcohol

- 5. Give the IUPAC name of the following.
 - CH3-CH(Cl)CH2CH2CH(OH)CH3
 - a. 2-Chloro-5-hydroxyhexane
 - b. 2-Hydroxy-5-chlorohexane
 - c. 2-Chlorohexan-5-ol
 - d. 5-Chlorohexan-2-ol
- 6. Which of the following reagents cannot, be used to oxidise primary alcohols to aldehydes?
 - a. CrO₃ in anhydrous medium
 - b. KMnO4 in acidic medium
 - c. Pyridinium chlorochromate
 - d. Heat in the presence of Cu at 573 K
- 7. Identify the final product of the reaction sequence.

$$\begin{array}{c}
OH \\
\hline
Z_n \\
\hline
X \\
\hline
AlCl_3
\end{array}$$

- a. Benzophenone
- b. Acetophenone
- c. Diphenyl
- d. Methyl salicylate
- 8. Propanone on reaction with alkyl magnesium bromide followed by hydrolysis will produce
 - a. primary alcohol
 - b. secondary alcohol
 - c. tertiary alcohol
 - d. carboxylic acid
- 9. Assertion: Like bromination of benzene, bromination of phenol is also carried out in the presence of Lewis acid.

Reason: Lewis acid polarises the bromine molecule.

- a. Assertion and reason both are correct and reason is correct explanation of assertion.
- b. Assertion and reason both are wrong statements.
- c. Assertion is correct statement but reason is wrong statement.
- d. Assertion is wrong statement but reason is correct statement.
- 10. Assertion: Bond angle in ethers is slightly less than the tetrahedral angle.

Reason: There is a repulsion between the two bulky (—R) groups.

- a. Assertion and reason both are correct and reason is correct explanation of assertion.
- b. Assertion and reason both are wrong statements.
- c. Assertion is correct statement but reason is wrong statement.
- d. Assertion is wrong statement but reason is correct statement.

SHORT ANSWER TYPE (2 M)

- 11. Write the chemical equations for the following reactions.
 - a. Friedel Crafts acetylation of anisole
- b. Kolbe's reaction

- 12. Distinguish between
 - a. Ethanol and phenol
- b. Propan-2-ol and 2-Methylpropan-2-ol
- 13. a. Write the IUPAC name of the following compound.

b. Write the structure of the molecule of a compound whose IUPAC name is 1-Phenylpropan-2-ol.

SHORT ANSWER TYPE (3 M)

14. Write the major products in the following reactions.

- 15. How would you obtain the following?
 - a. Benzoquinone from phenol
 - b. 2-Methypropan-2-ol from Methylmagnesium bromide
 - c. Propan-2-ol from propene
- 16. a. o and p nitrophenols are more acidic than phenols. Give reason.
 - b. o-Nitrophenol is stream volatile than p nitrophenol.
 - c. t-Butyl chloride on heating with sodium methoxide gives 2-Methylpropene instead of t-Butylmethyl ether.
- 17. Name the reagents used in the following reactions:
 - a. Oxidation of a primary alcohol to carboxylic acid.
 - b. Oxidation of a primary alcohol to aldehyde.
 - c. Bromination of phenol to 2,4,6-tribromophenol.
 - d. Benzyl alcohol to benzoic acid.
 - e. Dehydration of propan-2-ol to propene.
 - f. Butan-2-one to butan-2-ol.

LONG ANSWER TYPE (5M)

18. a. Write the mechanism for the following reaction.

$$2CH_3 - CH_2 - OH \xrightarrow{H^+} CH_3CH_2 - \ddot{O} - CH_2 - CH_3 + H_2O$$

- b. What happens when benzene diazonium chloride is heated with water?
- c. Out of benzene and phenol, which one is more easily nitrated and why?
- 19. a. Write the mechanism for the following reaction.

$$CH_3CH = CH_2 + H_2O \rightleftharpoons CH_3 - CH - CH_3$$
OH

- b. Write the preparation of Aspirin from phenol.
- c. Lewis acid is not required in bromination of phenol. Why?

ANSWER KEY

Hints

- 1. a
- 2. c
- 3. b
- 4. a
- 5. d
- 6. b
- 7. b
- 8. c
- 9. d
- 10. d
- 11. a.

b.

12.

- a. Phenol forms violet colouration with neutral FeCl₃
- b. 2--Methylpropan-2-ol forms turbidity immediately with Con HCl and anh ZnCl2
- 13. a. 2-Methylbut-3-en-2-ol

b.

14. i. (CH₃)₃ C- I + CH₃OH

ii. CH3CH2COCH3

iii. Salicylaldehyde

15.

- a. Oxidation with Na₂Cr₂O₇ + H₂SO₄ (write reactions)
- b. Reaction of 2-methylpropan-2-ol with CH₃COCH₃
- c. Acid hydration
- 16. a. NO₂ group is electron withdrawing group. The phenoxide ion formed is stabilized through resonance. Draw resonance structures
 - b. o-Nitrophenol intramolecular H bonding p nitrophenol Intermolecular H bonding- Explanation
 - c. Sodium methoxide is a strong base and hence dehydrohalogenation will take place.
- 17. a. Acidified KMnO4
 - b. CrO₃
 - c. Br2 water
 - d. Acidified KMnO4
 - e. 85%H3PO4 and 440K
 - f. NaBH4
- 18. a.

(ii)
$$CH_3-CH_2-\overset{\bullet}{O}-H + \overset{\bullet}{H} \xrightarrow{} CH_3-CH_2-\overset{\bullet}{O}-H$$

(iii) $CH_3CH_2-\overset{\bullet}{O} \xrightarrow{} + CH_3-CH_2-\overset{\bullet}{O} \xrightarrow{} + CH_3-CH_2-\overset{\bullet}{O} \xrightarrow{} - CH_2CH_3 + H_2O$
(iii) $CH_3CH_2-\overset{\bullet}{O} - CH_2CH_3 \longrightarrow CH_3CH_2-O-CH_2CH_3 + \overset{\bullet}{H}$

b.

$$H_2O$$
 OH H_2O H_2O

c. Phenol will be easily nitrated since the —OH group attached to the benzene ring activates it towards electrophilic substitution. Also, it directs the incoming group to *ortho* and *para* positions in the ring as these positions become electron rich due to the resonance effect caused by —OH group.

- 19. a. (Substitute the alkene accordingly to make it propene)
 - Step 1: Protonation of alkene to form carbocation by electrophilic attack of H₃O^{*}.

$$H_2O + H^{\dagger} \rightarrow H_3O^{\dagger}$$

$$>C = C < + H - \ddot{O} - H \Longrightarrow - \ddot{C} - \ddot{C} < + H_2 \ddot{O}$$

Step 2: Nucleophilic attack of water on carbocation.

$$-\overset{H}{\overset{\downarrow}{\overset{\downarrow}{\text{C}}}}-\overset{\downarrow}{\overset{\downarrow}{\text{C}}}\overset{+}{\overset{\downarrow}{\text{H}_2}}\overset{H}{\overset{\downarrow}{\overset{\downarrow}{\text{C}}}}=\overset{H}{\overset{\downarrow}{\text{C}}}-\overset{H}{\overset{\to}{\text{C}}}-\overset{H}{\overset{C$$

Step 3: Deprotonation to form an alcohol.

b.

c. The usual halogenations of benzene takes place in the in presence of a Lewis acid, such as FeBr₃, which polarises the halogen molecule. In case of phenol, the polarisation of bromine molecule takes place even in the absence of Lewis acid. It is due to the highly activating effect of —OH group attached to the benzene ring.

Prepared by : Ms. Jasmin Joseph	Checked by: HOD - SCIENCE